

ALLERGEN DECLARATION

Fragrance ingredients restricted as potential allergens in Annex III of the European Cosmetic Regulation (EC) 1223/2009 and its amendments.

TOBACCO VANILLA FRAGRANCE

| Ingredient Name | CAS | Concentration (%) |
|------------------------------------|---|-------------------|
| 3-PROPYLIDENEPHTHALIDE | 17369-59-4 | n.d. |
| 6-METHYL COUMARIN | 92-48-8 | n.d. |
| ACETYL CEDRENE | 32388-55-9 | n.d. |
| ALPHA-ISOMETHYL IONONE | 127-51-5 | n.d. |
| ALPHA-TERPINENE | 99-86-5 | 0.006% |
| AMYL CINNAMAL | 122-40-7 | n.d. |
| AMYL SALICYLATE | 2050-08-0 | n.d. |
| AMYLCINNAMYL ALCOHOL | 101-85-9 | n.d. |
| ANETHOLE | 104-46-1, 4180-23-8 | 0.200% |
| ANISE ALCOHOL | 105-13-5 | n.d. |
| BENZALDEHYDE | 100-52-7 | n.d. |
| BENZYL ALCOHOL | 100-51-6 | 1.711% |
| BENZYL BENZOATE | 120-51-4 | 0.783% |
| BENZYL CINNAMATE | 103-41-3 | n.d. |
| BENZYL SALICYLATE | 118-58-1 | n.d. |
| BETA-CARYOPHYLLENE | 87-44-5 | 0.022% |
| CAMPHOR | 76-22-2, 464-49-3, 21368-68-3, 464-48- 2 | n.d. |
| CANANGA ODORATA OIL/EXTRACT | 8006-81-3, 68606- 83-7, 83863-30-3, 93686-30-7 | n.d. |
| CARVONE | 99-49-0, 2244-16-8, 6485-40-1 | n.d. |
| CEDRUS ATLANTICA OIL/EXTRACT | 8023-85-6, 92201- 55-3 | n.d. |
| CINNAMAL | 104-55-2 | 0.108% |
| CINNAMOMUM CASSIA LEAF OIL | 8007-80-5, 84961- 46-6 | n.d. |
| CINNAMOMUM ZEYLANICUM BARK OIL | 8015-91-6, 84649- 98-9 | n.d. |
| CINNAMYL ALCOHOL | 104-54-1 | n.d. |
| CITRAL | 5392-40-5, 141-27-5, 106-26-3 | 0.029% |
| CITRONELLOL | 106-22-9, 1117-61-9, 26489-01-0, 6812- 78-8, 141-25-3, 7540-51-4 | n.d. |
| CITRUS AURANTIUM BERGAMIA PEEL OIL | 8007-75-8, 89957- 91-5, 68648-33-9, 85049-52-1 | n.d. |
| CITRUS AURANTIUM FLOWER OIL | 72968-50-4, 8028- 48-6, 8016-38-4 | n.d. |
| CITRUS AURANTIUM PEEL OIL | 68916-04-1, 72968- 50-4, 97766-30-8, 8028-48-6, 8008-57- 9 | n.d. |

ALLERGEN DECLARATION

| Ingredient Name | CAS | Concentration (%) |
|----------------------------|--|-------------------|
| CITRUS LIMON PEEL OIL | 8008-56-8, 84929-31-7 | n.d. |
| COUMARIN | 91-64-5 | 0.302% |
| DIMETHYL PHENETHYL ACETATE | 151-05-3 | n.d. |
| EUCALYPTUS GLOBULUS OIL | 8000-48-4, 97926-40-4 | n.d. |
| EUGENIA CARYOPHYLLUS OIL | 8000-34-8, 8015-97-2, 84961-50-2 | n.d. |
| EUGENOL | 97-53-0 | 0.670% |
| EUGENYL ACETATE | 93-28-7 | 0.013% |
| EVERNIA FURFURACEA EXTRACT | 90028-67-4, 68648-41-9, 68917-40-8 | n.d. |
| EVERNIA PRUNASTRI EXTRACT | 90028-68-5, 68917-10-2, 9000-50-4 | n.d. |
| FARNESOL | 4602-84-0 | n.d. |
| GERANIOL | 106-24-1 | 0.005% |
| GERANYL ACETATE | 105-87-3 | 0.009% |
| HEXADECANOLACTONE | 109-29-5 | n.d. |
| HEXAMETHYLINDANOPYRAN | 1222-05-5 | n.d. |
| HEXYL CINNAMAL | 101-86-0 | n.d. |
| HYDROXYCITRONELLAL | 107-75-5 | n.d. |
| ISOEUGENOL | 97-54-1, 5932-68-3, 5912-86-7 | 0.001% |
| ISOEUGENYL ACETATE | 93-29-8 | n.d. |
| JASMINE OIL/EXTRACT | 84776-64-7, 90045-94-6, 8022-96-6, 8024-43-9 | n.d. |
| JUNIPERUS VIRGINIANA OIL | 8000-27-9, 85085-41-2 | n.d. |
| LAURUS NOBILIS LEAF OIL | 8002-41-3, 8007-48-5, 84603-73-6 | n.d. |
| LAVANDULA OIL/EXTRACT | 91722-69-9, 8022-15-9, 93455-96-0, 93455-97-1, 92623-76-2, 84776-65-8, 8000-28-0, 90063-37-9 | n.d. |
| LEMONGRASS OIL | 8007-02-1, 89998-16-3, 91844-92-7 | n.d. |
| LIMONENE | 138-86-3, 7705-14-8, 5989-27-5, 5989-54-8 | 0.060% |
| LINALOOL | 78-70-6, 126-91-0 | 0.019% |
| LINALYL ACETATE | 115-95-7 | 0.010% |
| LIPPIA CITRIODORA ABSOLUTE | 8024-12-2, 85116-63-8 | n.d. |
| MENTHA PIPERITA OIL | 8006-90-4, 84082-70-2 | n.d. |
| MENTHA VIRIDIS LEAF OIL | 8008-79-5, 84696-51-5 | n.d. |
| MENTHOL | 89-78-1, 1490-04-6, 2216-51-5, 15356-60-2 | n.d. |
| METHYL 2-OCTYNOATE | 111-12-6 | n.d. |

ALLERGEN DECLARATION

| Ingredient Name | CAS | Concentration (%) |
|--|--|-------------------|
| METHYL SALICYLATE | 119-36-8 | n.d. |
| MYROXYLON PEREIRAE OIL/EXTRACT | 8007-00-9 | n.d. |
| NARCISSUS EXTRACT | 90064-26-9, 68917-12-4, 90064-27-0, 90064-25-8 | n.d. |
| PELARGONIUM GRAVEOLENS FLOWER OIL | 8000-46-2, 90082-51-2 | n.d. |
| PINENE | 80-56-8, 7785-70-8, 127-91-3, 18172-67-3 | 0.082% |
| PINUS MUGO | 90082-72-7 | n.d. |
| PINUS PUMILA | 97676-05-6 | n.d. |
| POGOSTEMON CABLIN OIL | 8014-09-3, 84238-39-1 | n.d. |
| ROSE FLOWER OIL/EXTRACT | 8007-01-0, 90106-38-0, 93334-48-6, 84696-47-9, 84604-12-6, 84604-13-7, 92347-25-6 | n.d. |
| ROSE KETONES | 43052-87-5, 23726-94-5, 24720-09-0, 23696-85-7, 57378-68-4, 71048-82-3, 23726-92-3, 23726-91-2 | 0.050% |
| SALICYLALDEHYDE | 90-02-8 | n.d. |
| SANTALOL | 115-71-9, 77-42-9, 11031-45-1 | n.d. |
| SANTALUM ALBUM OIL | 8006-87-9, 84787-70-2 | n.d. |
| SCLAREOL | 515-03-7 | n.d. |
| TERPINEOL | 8000-41-7, 98-55-5, 138-87-4, 586-81-2 | 0.016% |
| TERPINOLENE | 586-62-9 | 0.013% |
| TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES | 54464-57-2, 54464-59-4, 68155-66-8, 68155-67-9 | 9.000% |
| TRIMETHYLBENZENEPROPANOL | 103694-68-4 | n.d. |
| TRIMETHYLCYCLOPENTENYL METHYLISOPENTENOL | 67801-20-1 | n.d. |
| TURPENTINE | 8006-64-2, 9005-90-7, 8052-14-0 | n.d. |
| VANILLIN | 121-33-5 | 3.000% |

(n.d. = not detectable. Detection limit is 10ppm)

This declaration is a result of a calculated analysis of the formulation. These calculated concentrations do not replace chromatographic quantification on individual batches. Please note that the information contained herein is provided in good faith and is, to the best of our current knowledge, true and accurate at the time it is given, and may be subject to change. Fragrance Oils (International) Limited is not liable for any damages that may result from the misuse of this data. It is the responsibility of the person(s) placing the finished product on the market to perform their own evaluation including with respect to finished product applications. Any Customer product, marketing or other claims are the Customer's ultimate responsibility.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TOBACCO VANILLA FRAGRANCE
Version: 4

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: TOBACCO VANILLA FRAGRANCE (Contains:4-TERT-BUTYLCYCLOHEXYL ACETATE, CINNAMAL, HELIOTROPINE, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)
Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Imperial Supply Ltd.
Company address: Common Lane
Industrial Estate
Kenilworth
CV8 2EL
United Kingdom

Contact:
E-Mail address: support@craftovator.co.uk
Tel: +44 1926 291009
Company phone:

1.4 Emergency telephone number

Emergency phone: +44 1926 291009

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger: Eye Damage / Irritation Category 2
Sensitization - Skin Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 3
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H412, Harmful to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TOBACCO VANILLA FRAGRANCE

Version: 4

Hazard statements: H317, May cause an allergic skin reaction.
 H319, Causes serious eye irritation.
 H412, Harmful to aquatic life with long lasting effects.

Supplemental Information: EUH208, Contains (1S,2R,5S,7R,8R)-8-METHOXY-2,6,6,8-TETRAMETHYLTRICYCLO[5.3.1.0^{^{1,5}}}]UNDECANE, ALPHA-ZINGIBERENE, COUMARIN, EUGENOL, ISOEUGENOL, TRANS-ANETHOLE. May produce an allergic reaction.

Precautionary statements: P261, Avoid breathing vapour or dust.
 P264, Wash hands and other contacted skin thoroughly after handling.
 P272, Contaminated work clothing should not be allowed out of the workplace.
 P273, Avoid release to the environment.
 P280, Wear protective gloves/eye protection/face protection.
 P302/352, IF ON SKIN: Wash with plenty of soap and water.
 P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P333/313, If skin irritation or rash occurs: Get medical advice/attention.
 P337/313, If eye irritation persists: Get medical advice/attention.
 P363, Wash contaminated clothing before reuse.
 P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



2.3 Other hazards

Other hazards: Sensitisers declared on a CLP Hazard Label: (1S,2R,5S,7R,8R)-8-METHOXY-2,6,6,8-TETRAMETHYLTRICYCLO[5.3.1.0^{^{1,5}}}]UNDECANE, ALPHA-ZINGIBERENE, COUMARIN, EUGENOL, ISOEUGENOL, TRANS-ANETHOLE
 Hydrocarbon Concentration %: 0.000%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 | Specific Conc. Limits, M-factors and ATEs |
|------|-----|----|------------------------|---|------------------------------------|---|
| | | | | | | |

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TOBACCO VANILLA FRAGRANCE

Version: 4

| | | | | | | |
|--|--|---|-----------------------|---------|---|---|
| 4-TERT-BUTYLCYCLOHEXYL ACETATE | 32210-23-4 | 250-954-9 | 01-2119976286-24-xxxx | 10-<20% | SS 1B;H317,- | oral: ATE = 3370 mg/kg bw |
| TETRAMETHYL ACETYLOCTAHYDRON APHTHALENES | 54464-57-2, 54464-59-4, 68155-66-8, 68155-67-9 | 259-174-3, 259-175-9, 268-978-3, 268-979-9, 915-730-3 | 01-2119489989-04-xxxx | 5-<10% | SCI 2-SS 1B-EH C2; H315-H317-H411,- | |
| 2-T-BUTYLCYCLOHEXYLOXYBUTANOL | 139504-68-0 | 412-300-2 | | 5-<10% | EDI 2-EH C2;H319-H411,- | |
| ETHYL VANILLIN | 121-32-4 | 204-464-7 | | 1-<5% | EDI 2;H319,- | oral: ATE = 3000 mg/kg bw |
| VANILLIN | 121-33-5 | 204-465-2 | | 1-<5% | EDI 2;H319,- | dermal: ATE = 2600 mg/kg bw-oral: ATE = 3300 mg/kg bw |
| OCTAHYDROCOUMARIN | 4430-31-3 | 224-623-4 | | 1-<5% | EDI 1;H318,- | dermal: ATE = 3500 mg/kg bw-oral: ATE = 3900 mg/kg bw |
| HELIOTROPINE | 120-57-0 | 204-409-7 | | 1-<5% | SS 1B;H317,- | oral: ATE = 2700 mg/kg bw |
| BENZYL ALCOHOL | 100-51-6 | 202-859-9 | 01-2119492630-38-xxxx | 1-<5% | ATO 4-ATI 4-EDI 2; H302-H319-H332,- | inhalation: ATE = 4178 ppmV (gas)-dermal: ATE = 2500 mg/kg bw-oral: ATE = 1620 mg/kg bw |
| DIMETHYL PHENETHYL BUTYRATE | 10094-34-5 | 233-221-8 | 01-2120742578-44-xxxx | 1-<5% | EH C2;H411,- | |
| BENZYL BENZOATE | 120-51-4 | 204-402-9 | | 0.1-<1% | ATO 4-EH A1-EH C2; H302-H400-H411,- | oral: ATE = 1160 mg/kg bw |
| EUGENOL | 97-53-0 | 202-589-1 | | 0.1-<1% | EDI 2-SS 1B;H317-H319,- | oral: ATE = 2500 mg/kg bw |
| ALPHA-ZINGIBERENE | 495-60-3 | | | 0.1-<1% | SS 1B;H317,- | |
| COUMARIN | 91-64-5 | 202-086-7 | | 0.1-<1% | ATO 4-SS 1B-EH C3; H302-H317-H412,- | oral: ATE = 500 mg/kg bw |
| (1S,2R,5S,7R,8R)-8-METHOXY-2,6,6,8-TETRAMETHYLTRICYCLO[5.3.1.0 ^{1,5}] UNDECANE | 67874-81-1 | 267-510-5 | | 0.1-<1% | SS 1B-EH A1-EH C1; H317-H410,- | |
| TRANS-ANETHOLE | 4180-23-8 | 224-052-0 | | 0.1-<1% | SS 1B;H317,- | oral: ATE = 3000 mg/kg bw |
| CINNAMAL | 104-55-2 | 203-213-9 | | 0.1-<1% | ATD 4-SCI 2-EDI 2-SS 1A-EH C3;H312-H315-H317-H319-H412,- | dermal: ATE = 1100 mg/kg bw-oral: ATE = 2200 mg/kg bw |
| ISOEUGENOL | 97-54-1, 5932-68-3, 5912-86-7 | 202-590-7, 227-678-2, 227-633-7 | | <0.1% | ATO 4-ATD 4-ATI 4-SCI 2-EDI 2-SS 1A-STO-SE 3(RI);H302-H312-H315-H317-H319-H332-H335,- | Skin Sens. 1; H317; C ≥ 0.01%-inhalation: ATE = 1.5 mg/l (dusts or mists)-dermal: ATE = 1912 mg/kg bw-oral: ATE = 1500 mg/kg bw |

Substances with Community workplace exposure limits:

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 | Specific Conc. Limits, M-factors and ATEs |
|-------------------|---------|-----------|------------------------|---------|------------------------------------|---|
| DIETHYL PHTHALATE | 84-66-2 | 201-550-6 | 01-2119486682-27-xxxx | 20-<50% | ;-,- | |

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TOBACCO VANILLA FRAGRANCE

Version: 4

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TOBACCO VANILLA FRAGRANCE

Version: 4

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

| Ingredient | CAS | EC | Description | Value |
|-------------------|---------|-----------|---|----------------------|
| DIETHYL PHTHALATE | 84-66-2 | 201-550-6 | UK Long-term exposure limit (8-hour TWA) (mg/m ³) | 5 mg/m ³ |
| | | | UK Short-term exposure limit (15-minute) (mg/m ³) | 10 mg/m ³ |

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TOBACCO VANILLA FRAGRANCE

Version: 4

openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.
Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|--|
| Physical State/Colour: | Clear colourless to pale yellow liquid |
| Odour: | Not determined |
| Odour threshold: | Not determined |
| Melting point / freezing point: | Not determined |
| Boiling point or initial boiling point and boiling range: | Not determined |
| Flammability: | Not determined |
| Lower and upper explosion limit: | Not determined |
| Flash point: | > 100 °C |
| Auto-ignition temperature: | Not determined |
| Decomposition temperature: | Not relevant |
| pH: | Not determined |
| Kinematic viscosity: | Not determined |
| Solubility: | Not determined |
| Partition coefficient: n-octanol/water (log value): | Not determined |
| Vapour pressure: | 0.02029646 mmHg |
| Density and/or relative density: | 1.0320 |
| Relative vapour density: | Not determined |
| Particle characteristics: | Not determined |

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TOBACCO VANILLA FRAGRANCE

Version: 4

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

| | |
|---|--|
| Acute Toxicity: | Based on available data the classification criteria are not met. |
| Acute Toxicity Oral | >5000 |
| Acute Toxicity Dermal | >5000 |
| Acute Toxicity Inhalation | Not Available |
| Skin corrosion/irritation: | Based on available data the classification criteria are not met. |
| Serious eye damage/irritation: | Eye Damage / Irritation Category 2 |
| Respiratory or skin sensitisation: | Sensitization - Skin Category 1 |
| Germ cell mutagenicity: | Based on available data the classification criteria are not met. |
| Carcinogenicity: | Based on available data the classification criteria are not met. |
| Reproductive toxicity: | Based on available data the classification criteria are not met. |
| STOT-single exposure: | Based on available data the classification criteria are not met. |
| STOT-repeated exposure: | Based on available data the classification criteria are not met. |
| Aspiration hazard: | Based on available data the classification criteria are not met. |

Information about hazardous ingredients in the mixture

| Ingredient | CAS | EC | LD50/ATE Oral | LD50/ATE Dermal | LC50/ATE Inhalation | LC50 Route |
|----------------|----------|-----------|---------------|-----------------|---------------------|------------|
| BENZYL ALCOHOL | 100-51-6 | 202-859-9 | 1620 | 2500 | 4178 | Gas |

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

Section 12. Ecological information

12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TOBACCO VANILLA FRAGRANCE

Version: 4

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable

12.7 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

| | 14.1 UN number: | 14.2 UN Proper Shipping Name: | 14.3 Transport hazard class (es): | Sub Risk: | 14.4 Packing Group: |
|-----------------------------|-----------------|-------------------------------|-----------------------------------|-----------|---------------------|
| UN Model Regulations | Not classified | - | - | - | - |
| IMDG | Not classified | - | - | - | - |
| ADR,RID,ADN | Not classified | - | - | - | - |
| ICAO TI | Not classified | - | - | - | - |

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EDI 2=26.17% SS 1=5.26% EH C3=13.51% EDI 2A=26.17%

Total Fractional Values: EDI 2=3.82 SS 1=19.00 EH C3=7.40 EDI 2A=3.82

Key to revisions:

14.1. UN number

14.2. UN proper shipping name

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TOBACCO VANILLA FRAGRANCE

Version: 4

14.3. Transport hazard class(es)

14.3. Transport hazard class(es)

14.4. Packing group

Classification under Regulation (EC) No 1272/2008

Classification under Regulation (EC) No 1272/2008

Concentration % Limits

SECTION 3: Composition/information on ingredients

Total Fractional Values

Key to abbreviations:

| Abbreviation | Meaning |
|--------------|--|
| ATD 4 | Acute Toxicity - Dermal Category 4 |
| ATI 4 | Acute Toxicity - Inhalation Category 4 |
| ATO 4 | Acute Toxicity - Oral Category 4 |
| EDI 1 | Eye Damage / Irritation Category 1 |
| EDI 2 | Eye Damage / Irritation Category 2 |
| EH A1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 |
| EH C1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |
| EH C2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 |
| EH C3 | Hazardous to the Aquatic Environment - Long-term Hazard Category 3 |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| P261 | Avoid breathing vapour or dust. |
| P264 | Wash hands and other contacted skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/eye protection/face protection. |
| P301/312 | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. |
| P302/352 | IF ON SKIN: Wash with plenty of soap and water. |
| P304/340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: TOBACCO VANILLA FRAGRANCE

Version: 4

| | |
|--------------|--|
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER or doctor/physician. |
| P312 | Call a POISON CENTRE or doctor/physician if you feel unwell. |
| P330 | Rinse mouth. |
| P333/313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P337/313 | If eye irritation persists: Get medical advice/attention. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P363 | Wash contaminated clothing before reuse. |
| P391 | Collect spillage. |
| P403/233 | Store in a well-ventilated place. Keep container tightly closed. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container to approved disposal site, in accordance with local regulations. |
| SCI 2 | Skin Corrosion / Irritation Category 2 |
| SS 1A | Sensitization - Skin Category 1A |
| SS 1B | Sensitization - Skin Category 1B |
| STO-SE 3(RI) | Specific Target Organ Toxicity (Single Exposure) Category 3 |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.