

Craftovator[®] Studio.

CRAFTING EXCELLENCE

ALLERGEN STATEMENT

PRODUCT NAME: Lime (Steam Distilled), Essential Oil			
COSMETIC ALLERGENS			
<i>The following is from the 7th amendment of the cosmetic directive of the European Union Annex III.</i>			
Annex IIIa Reference:		CAS NUMBER:	TOTAL ALLERGEN INCLUSION (%):
67	AMYL CINNAMAL	122-40-7	0.000
68	BENZYL ALCOHOL	100-51-6	0.000
69	CINNAMYL ALCOHOL	104-54-1	0.000
70	CITRAL	5392-40-5	0.740
71	EUGENOL	97-53-0	0.000
72	HYDROXY-CITRONELLAL	107-75-5	0.000
73	ISOEUGENOL	97-54-1	0.000
74	AMYL CIN-NAMYL ALCOHOL	101-85-9	0.000
75	BENZYL SALICYLATE	118-58-1	0.000
76	CINNAMAL	104-55-2	0.000
77	COUMARIN	91-64-5	0.000
78	GERANIOL	106-24-1	0.000
79	HYDROXY- METHYLPENTYL CYCLOHEXENECARBOXYALDEHYDE	31906-04-4	0.000
80	ANISE ALCOHOL	105-13-5	0.000
81	BENZYL CINNAMATE	103-41-3	0.000
82	FARNESOL	4602-84-0	0.000
83	BUTYLPHENYL METHYLPROPIONAL	80-54-6	0.000
84	LINALOOL	78-70-6	0.000
85	BENZYL BENZOATE	120-51-4	0.000
86	CITRONELLOL	106-22-9	0.000
87	HEXYL CINNAM-ALDEHYDE	101-86-0	0.000
88	LIMONENE	5989-27-5	55.730
89	METHYL HEPTIN CARBONATE	111-12-6	0.000
90	ALPHA-ISOMETHYL IONONE	127-51-5	0.000
91	EVERNIA PRUNASTRI EXTRACT	90028-68-5	0.000
92	EVERNIA FURFURACEA EXTRACT	90028-67-4	0.000

FOOD ALLERGENS				
<i>The following is from the commission directive 2007/68/EC of 27th November 2007 amending Annex IIIa to Directive 2002/46/EC of the European Parliament & Council with regards to specific food ingredients.</i>				
Annex IIIa Reference:		PRESENT IN PRODUCT:	CONTAMINATION PRESENCE:	FACTORY PRESENCE:
1	CEREALS (CONTAINING GLUTEN)	NO	NO	YES
2	CRUSTACEANS	NO	NO	NO
3	EGGS	NO	NO	NO
4	FISH	NO	NO	NO
5	PEANUTS	NO	NO	YES
6	SOYA	NO	NO	YES
7	MILK	NO	NO	YES
8	NUTS	NO	NO	YES
9	CELERY & CELERiac	NO	NO	YES
10	MUSTARD	NO	NO	YES
11	SESAME	NO	NO	YES
12	SULPHUR DIOXIDE & SULPHITES	NO	NO	NO
13	LUPIN	NO	NO	NO
14	MOLLUSC	NO	NO	NO

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Craftovator Studio regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Craftovator Studio.

www.craftovator.co.uk

Craftovator[®] Studio.

CRAFTING EXCELLENCE

Composition Statement & Manufacturing Flow Chart:

Craftovator Studio can hereby confirm the following composition breakdown & manufacturing process flow;


Lime, Essential Oil

INCI Name	% Inclusion	CAS Number
Citrus Aurantifolia Peel	100	8008-26-2

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Craftovator Studio regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Craftovator Studio.

Craftovator[®] Studio.

CRAFTING EXCELLENCE



The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Craftovator Studio regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Craftovator Studio.

Craftovator[®] Studio.

CRAFTING EXCELLENCE

Material Safety Data Sheet

EU Regulation: 1907/2006

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING





1.1 PRODUCT IDENTIFICATION					
PRODUCT NAME	LIME (DISTILLED), ESSENTIAL OIL				
BIOLOGICAL DEFINITION	CITRUS AURANTIFOLIA OIL IS THE VOLATILE OIL OBTAINED FROM THE FRUITS OF THE LIME, CITRUS AURANTIFOLIA, RUTACEAE.				
INCI NAME	CITRUS AURANTIFOLIA PEEL				
SYNONYMS & TRADE NAMES	LIME OIL DISTILLED				
INTERNAL PRODUCT CODE	K0262				
CAS-No	8008-26-2 / 90063-52-8	EC No.	290-010-3	EINECS No.	290-010-3
1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
COMPANY ADDRESS	Craftovator Studio Imperial Supply Ltd. Common Lane, Industrial Estate, Kenilworth, CV8 2EL UK				
EMAIL	info@craftovator.co.uk				
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
EMERGENCY CONTACTS	+44 1926 291009				

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Craftovator Studio regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Craftovator Studio.

www.craftovator.co.uk

Craftovator® Studio.

CRAFTING EXCELLENCE

SECTION 2: HAZARDS IDENTIFICATION	
2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.
CLASSIFICATION (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.
CLASSIFICATION (EU1272/2008)	<p>FLAMMABLE LIQUID, HAZARD CATEGORY 3 SKIN CORROSION / IRRITATION CATEGORY 2 SENSITIZATION - SKIN CATEGORY 1 ASPIRATION HAZARD CATEGORY 1 HAZARDOUS TO THE AQUATIC ENVIRONMENT - LONG-TERM HAZARD CATEGORY 2 H226, FLAMMABLE LIQUID AND VAPOUR. H304, MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315, CAUSES SKIN IRRITATION. H317, MAY CAUSE AN ALLERGIC SKIN REACTION. H411, TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.</p>
2.2 LABEL ELEMENTS	LABEL IN ACCORDANCE WITH REGULATION (EC) No 1272/2008.
GHS LABEL	    <p>GHS02 GHS07 GHS08 GHS09</p>
SIGNAL WORD	DANGER.
CONTAINS	-
HAZARDS STATEMENT	<p>H226, FLAMMABLE LIQUID AND VAPOUR. H304, MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315, CAUSES SKIN IRRITATION. H317, MAY CAUSE AN ALLERGIC SKIN REACTION. H411, TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.</p>
PRECAUTIONARY STATEMENTS	<p>P210, KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING. P233, KEEP CONTAINER TIGHTLY CLOSED. P240, GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT. P241, USE EXPLOSION-PROOF ELECTRICAL, VENTILATING AND LIGHTING EQUIPMENT. P242, USE ONLY NON-SPARKING TOOLS. P243, TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE. P261, AVOID BREATHING VAPOUR OR DUST. P264, WASH HANDS AND OTHER CONTACTED SKIN THOROUGHLY AFTER HANDLING. P272, CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE. P273, AVOID RELEASE TO THE ENVIRONMENT. P280, WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. P301/310, IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN. P303/361/353, IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER. P331, DO NOT INDUCE VOMITING. P333/313, IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P362, TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE. P370/378, IN CASE OF FIRE: P403/235, STORE IN A WELL-VENTILATED PLACE. KEEP COOL. P405, STORE LOCKED UP. P501, DISPOSE OF CONTENTS/CONTAINER TO APPROVED DISPOSAL SITE, IN ACCORDANCE WITH LOCAL REGULATIONS.</p>
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	NONE.
SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.	
2.3 OTHER HAZARDS	
ADVERSE PHYSIO-CHEMICAL PROPERTIES	NO DATA
ADVERSE EFFECTS ON HUMAN HEALTH	NO DATA
PBT OR VPVB ACCORDING TO ANNEX XIII	NO DATA

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Craftovator Studio regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Craftovator Studio.

Craftovator[®] Studio.

CRAFTING EXCELLENCE

SECTION 3: COMPOSITION OF INGREDIENTS

3.2 MIXTURES

55.73% D-LIMONENE CAS-No: 5989-27-5; EC No.: 227-813-5
CLASSIFICATION (EC 1272/2008) FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H304- H315-H317-H410,-

17.35% r-TERPINENE (P-MENTHA-1,4-DIENE) CAS No99-85-4 ; EC No: 202-794-6
CLASSIFICATION (EC 1272/2008) FL 3-AH 1;H226-H304,-

9.65% TERPINOLENE CAS No: 586-62-9 EC No: 209-578-0
CLASSIFICATION (EC 1272/2008) SS 1B-AH 1-EH A1-EH C1; H304-H317-H410,-

8.3% P-MENTHA-1,3-DIENE CAS No: 99-86-5 EC No: 202-795-1
CLASSIFICATION (EC 1272/2008) FL 3-ATO 4-AH 1-EH C2; H226-H302-H304-H411,-

3.51% P-CYMENE CAS No: 99-87-6 EC No: 202-796-7
CLASSIFICATION (EC 1272/2008) FL 3-AH 1-EH C2;H226- H304-H411,-

3.5% EUCALYPTOL CAS No: 470-82-6 EC No: 207-431-5
CLASSIFICATION (EC 1272/2008) FL 3-SS 1B;H226-H317,-

3.5% 1,4-CINEOLE CAS No: 470-67-7 EC No: 20-428-9
CLASSIFICATION (EC 1272/2008) FL 3;H226,-

3.475% ALPHA-TERPINEOL CAS No: EC No:
CLASSIFICATION (EC 1272/2008) SCI 2-EDI 2;H315-H319,-

2.835% A-PINENE CAS No: 80-56-8 ; EC No: 201-291-9
CLASSIFICATION (EC 1272/2008) FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H304- H315-H317-H410,-

2.665% B-PINENE CAS No: 127-91-3 ; EC No: 20-872-5
CLASSIFICATION (EC 1272/2008). FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H304- H315-H317-H410,-

1.5% MYRCENE CAS No: 123-35-3 EC No: 204-622-5
CLASSIFICATION (EC 1272/2008) FL 3-SCI 2-EDI 2-AH 1; H226-H304-H315-H319,-

0.825% L-BETA.-BISABOLENE CAS No: 495-61-4 EC No: N/A
CLASSIFICATION (EC 1272/2008) SCI 2-SS 1B-AH 1;H304- H315-H317,-

0.736% CITRAL CAS No: 5392-40-5 EC No: 226-394-6
CLASSIFICATION (EC 1272/2008). SCI 2-EDI 2-SS 1B;H315- H317-H319,-

0.495% CAMPHENE CAS No: 79-92-5 EC No: 201-234-8
CLASSIFICATION (EC 1272/2008) FS 2-EDI 2-EH A1-EH C1; H228-H319-H410,-

0.495% BETA-CARYOPHYLLENE CAS No: 87-44-5 EC No: 201-746-1
CLASSIFICATION (EC 1272/2008) AH 1;H304,-

0.495% ALPHA-PHELLANDRENE CAS No: 99-83-2 EC No: 202-792-5
CLASSIFICATION (EC 1272/2008) FL 3-AH 1;H226-H304,-

0.33% DECANAL CAS No: 112-31-2; EC No: 203-872-5
CLASSIFICATION (EC 1272/2008) EDI 2-EH C3;H319-H412,-

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

GENERAL INFORMATION

ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Craftovator Studio regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Craftovator Studio.

Craftovator[®] Studio.

CRAFTING EXCELLENCE

INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
INGESTION	GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
EYE CONTACT	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	<p>INHALATION MAY CAUSE COUGHING AND DIFFICULTIES IN BREATHING.</p> <p>INGESTION IRRITATING TO THE RESPIRATORY TRACT AND MAY CAUSE DAMAGE TO THE CENTRAL NERVOUS SYSTEM.</p> <p>SKIN CONTACT TOXIC IN CONTACT WITH SKIN.</p> <p>EYE CONTACT MAY CAUSE EYE IRRITATION.</p>
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	NONE EXPECTED, SEE SECTION 4.1 FOR FURTHER INFORMATION.

SECTION 5: FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MATERIAL	FOAM, CO2, DRY CHEMICAL POWDER.
5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES
5.3 ADVICE FOR FIRE-FIGHTERS	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
6.2 ENVIRONMENTAL PRECAUTIONS	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.
6.4 REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTION 8. REFER & CONSIDER SECTION 13.

SECTION 7: HANDLING & STORAGE

7.1 PRECAUTIONS FOR SAFE-HANDLING	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.
7.3 SPECIFIC END USE(S)	NO DATA.

SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 CONTROL PARAMETERS	NO DATA.
---------------------------	----------

8.2 EXPOSURE CONTROLS

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Craftovator Studio regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Craftovator Studio.

Craftovator[®] Studio.

CRAFTING EXCELLENCE



EYE PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
RESPIRATORY EQUIPMENT	UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.
HYGIENE MEASURES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
ENGINEERING MEASURES	NONE.
SKIN PROTECTION	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.
PERSONAL PROTECTION	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.
OTHER PROTECTION	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
PROCESS CONDITIONS	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
ENVIROMENTAL EXPOSURE CONTROLS	AVOID DISCHARGING INTO DRAINAGE WATER.

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

9.1 PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE	LIQUID
COLOUR	YELLOW – GREEN
ODOUR	SWEET, FRUITY, LIMEY
RELATIVE DENSITY	0.849 – 0.859 @ 20 °C
FLASH POINT (°C)	40 °C
REFRACTIVE INDEX @ 20 °C	1.47 - 1.478 @ 20 °C
SOLUBILITY IN WATER @ 20 °C	INSOLUBLE IN WATER

9.2 OTHER INFORMATION

NO DATA.

SECTION 10: STABILITY & REACTIVITY

10.1 REACTIVITY

PRESENTS NO SIGNIFICANT REACTIVITY HAZARDS, BY ITSELF OR IN CONTACT WITH WATER. STABLE UNDER NORMAL TEMPERATURE AND STORAGE CONDITIONS AND RECOMMENDED USE.

10.2 CHEMICAL STABILITY

STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15 °C).

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

NO.

10.4 CONDITIONS TO AVOID

STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15 °C.

10.5 INCOMPATIBLE MATERIALS

P.V.C

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Craftovator Studio regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Craftovator Studio.

Craftovator[®] Studio.



CRAFTING EXCELLENCE

SECTION 11: TOXICOLOGICAL INFORMATION	
11.1 TOXICOLOGICAL EFFECTS	
ACUTE TOXICITY	ASSUMED TOXICITY VALUE (LD50 OR ATE) FOR ACUTE ORAL TOXICITY: 5934.41 ASSUMED TOXICITY VALUE (LD50 OR ATE) FOR ACUTE DERMAL TOXICITY: N/A ASSUMED TOXICITY VALUE (LC50 OR ATE) FOR ACUTE INHALATION TOXICITY: N/A INHALATION ROUTE: N/A
SKIN IRRITATION	MAY CAUSE SENSITISATION BY SKIN CONTACT.
EYE DAMAGE OR IRRITATION	SPRAY AND VAPOUR IN THE EYES MAY CAUSE IRRITATION AND SMARTING.
RESPIRATORY OR SKIN SENSITIVITY	IN HIGH CONCENTRATIONS, VAPOURS MAY IRRITATE THROAT AND RESPIRATORY SYSTEM AND CAUSE COUGHING.
GERM CELL MUTAGENICITY	NEGATIVE. (SOURCE CSR).
CARCINOGENICITY	NOT APPLICABLE.
REPRODUCTIVE TOXICITY	NOT APPLICABLE.
STOT – SINGLE EXPOSURE	NOT APPLICABLE.
STOT – REPEATED EXPOSURE	NOT APPLICABLE.
ASPIRATION HAZARD	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS (H304).
OTHER INFORMATION	TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.
SECTION 12: ECOLOGICAL INFORMATION	
12.1 TOXICITY	DANGEROUS FOR THE ENVIRONMENT: MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.
12.2 PERSISTENCE & DEGRADABILITY	NO DATA.
12.3 BIO- ACCUMULATIVE POTENTIAL	NO DATA.
12.4 MOBILITY IN SOIL	NO DATA.
12.5 RESULTS OF PBT & VPVB ASSESSMENT	THIS SUBSTANCE DOES NOT MEET THE PBT/VPVB CRITERIA OF REACH, ANNEX XIII.
12.6 OTHER ADVERSE EFFECTS	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.
SECTION 13: DISPOSAL INFORMATION	
13.1 WASTE TREATMENT METHODS	ALWAYS RECOVER SPILLED PRODUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE MANAGEMENT SERVICES. ACT IN ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Craftovator Studio regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Craftovator Studio.

Craftovator® Studio.

CRAFTING EXCELLENCE

SECTION 14: TRANSPORT INFORMATION	
14.1 TRANSPORT INFORMATION	
UN NUMBER	ROAD: 1169 RAIL: 1169 AIR: 1169
14.2 UN SHIPPING NAME	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID N.O.S.
14.3 TRANSPORT HAZARD CLASS(ES)	ADR/RID/ADN CLASS: 3 FLAMMABLE LIQUID. IMDG CLASS: 3 FLAMMABLE LIQUID. ICAO CLASS/DIVISION: 3 FLAMMABLE LIQUID. TRANSPORT LABELS 
14.4 PACKING GROUP	ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III ICAO PACKING GROUP III
14.5 ENVIROMENTAL HAZARDS	ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT 
14.6 SPECIAL PRECAUTIONS FOR USER	TARIFF CODE: 3301 131000. THIS PRODUCT CONTAINS FLAMMABLES AND DANGEROUS FOR THE ENVIRONMENT. IN CASE ON POURING OUT, MAKE SURE LABEL NEW PACKAGING ACCORDINGLY. REPRODUCING ORIGINAL LABEL WITH RELEVANT SYMBOLS.
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NO ADDITIONAL DATA.
SECTION 15: REGULATORY INFORMATION	
15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	
EU DIRECTIVES	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716).

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Craftovator Studio regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Craftovator Studio.

Craftovator[®] Studio.

CRAFTING EXCELLENCE

APPROVED CODE OF PRACTICE	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 CHEMICAL SAFETY ASSESSMENT	-

SECTION 16: OTHER INFORMATION	
HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL	H226, FLAMMABLE LIQUID AND VAPOUR. H304, MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315, CAUSES SKIN IRRITATION. H317, MAY CAUSE AN ALLERGIC SKIN REACTION. H411, TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	
ABBREVIATIONS & ACRONYMS:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
ICAO	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
TREM CARD	TRANSPORT EMERGENCY CARD.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10 TH APRIL 2018	DATA LAUNCH

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Craftovator Studio regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Craftovator Studio.

Craftovator[®] Studio.

CRAFTING EXCELLENCE

SPECIFICATION SHEET

PRODUCT NAME: LIME (DISTILLED), ESSENTIAL OIL

PRODUCT INCI: CITRUS AURANTIFOLIA PEEL

PRODUCT CODE: K0262

CAS NUMBER: 8008-26-2 / 90063-52-8

EINECS NUMBER: 290-010-3

MANUFACTURING METHOD: STEAM DISTILLED

SHELF LIFE / BEST BEFORE: 24 MONTHS

ANALYTICAL DETAILS	RANGE
APPEARANCE	LIQUID
COLOUR	PALE YELLOW - GREEN
ODOUR	CHARACTERISTIC, FRESH, CITRUS, LIME
SPECIFIC GRAVITY @ 20°C	0.849 – 0.859
REFRACTIVE INDEX @ 20°C	1.470 – 1.478
OPTICAL ROTATION (°C)	+30.0 TO +52.0

STORAGE CONDITIONS

STORE IN A COOL DRY PLACE AWAY FROM HEAT & SUNLIGHT

DOCUMENTATION REVIEW DATE:

24TH MAY 2018

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Craftovator Studio regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Craftovator Studio.

Craftovator[®] Studio.

CRAFTING EXCELLENCE

IFRA STATEMENT

PRODUCT NAME: **LIME (STEAM DISTILLED), ESSENTIAL OIL**

PRODUCT INCI: CITRUS AURANTIFOLIA PEEL OIL DISTILLED

CRAFTOVATOR STUDIO CERTIFY THAT THE ABOVE-MENTIONED MATERIAL CONFORMS TO THE IFRA 49 CODE OF PRACTICE AND CONTAINS THE FOLLOWING RESTRICTED COMPONENTS THAT ARE LISTED IN THE 49TH AMENDMENT OF THE IFRA CODE OF PRACTICE:

Restricted Component	Cas No:	% Level in Product	IFRA Standard
Limonene	5989-27-5	60 - 61	Specification Std
Linalool	78-70-6	< 0.5	Specification Std

IFRA Category	% Maximum Use Level
IFRA Category 1	100
IFRA Category 2	100
IFRA Category 3	35.1840
IFRA Category 4	100
IFRA Category 5A	100
IFRA Category 5B	69.0150
IFRA Category 5C	100
IFRA Category 5D	23.0050
IFRA Category 6	100
IFRA Category 7A	100
IFRA Category 7B	100
IFRA Category 8	23.0050
IFRA Category 9	100
IFRA Category 10A	100
IFRA Category 10B	100
IFRA Category 11A	23.0050
IFRA Category 11B	23.0050
IFRA Category 12	100

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Craftovator Studio regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Craftovator Studio. It is the responsibility of the client to ensure the safety of the final product containing this ingredient. Please carry out additional testing if necessary.

www.craftovator.co.uk

Craftovator[®] Studio.

CRAFTING EXCELLENCE

IFRA Category	Product Type	Flavour Use	Phototoxicity
Category 1	Lip Products of all types (solid and liquid lipsticks, balms, clear or coloured, etc.). Children's toys.	Yes	Applicable (leave-on products)
Category 2	Deodorant and antiperspirant products of all types including any product with intended or reasonably foreseeable use on the axillae or labelled as such (spray, stick, roll-on, under-arm, deo-cologne, etc.). Body sprays (including body mist)	No	Applicable (leave-on products)
Category 3	Eye products of all types (eye shadow, mascara, eyeliner, eye make-up, eye masks, eye pillows, etc.) including eye care and moisturizer Facial make up and foundation. Make-up remover for face and eyes. Nose pore strips. Wipes or refreshing tissues for face, neck, hands, body. Body and face paint (for children and adults). Facial masks for face and around the eyes	No	Applicable (leave-on products)
Category 4	Hydro alcoholic and non-hydro alcoholic fine fragrance of all types (Eau de Toilette, Parfum, Cologne, solid perfume, fragrancing cream, aftershaves of all types, etc.). Fragranced bracelets. Ingredients of perfume kits and fragrance mixtures for cosmetic kits. Scent pads, foil packs. Scent strips for hydro alcoholic products	No	Applicable (leave-on products)
Category 5A	Body creams, oils, lotions of all types. Foot care products (creams and powders). Insect repellent (intended to be applied to the skin). All powders and talc (excluding baby powders and talc).	No	Applicable (leave-on products)
Category 5B	Facial toner. Facial moisturizers and creams	No	Applicable (leave-on products)
Category 5C	(women facial creams) Hand cream. Nail care products including cuticle creams, etc. Hand sanitizers	No	Applicable (leave-on products)
Category 5D	Baby cream/lotion, baby oil, baby powders and talc.	No	Applicable (leave-on products)
Category 6	Toothpaste. Mouthwash, including breath sprays. Toothpowder, strips, mouthwash tablets	Yes	Applicable (leave-on products)
Category 7A	Hair permanent or other hair chemical treatments (rinse-off) (e.g. relaxers), including rinse-off hair dyes	No	Applicable (leave-on products)
Category 7B	Hair sprays of all types (pumps, aerosol sprays, etc.). Hair styling aids non-sprays (mousse, gels, leave-on conditioners). Hair permanent or other hair chemical treatments (leave-on) (e.g. relaxers), including leave-on hair dyes. Shampoo - Dry (waterless shampoo). Hair deodorizer	No	Applicable (leave-on products)
Category 8	Intimate wipes. Tampons. Baby wipes. Toilet paper (wet).	No	Applicable (leave-on products)
Category 9	Bar soap. Shampoo of all type. Cleanser for face (rinse-off). Conditioner (rinse-off). Liquid soap. Body washes and shower gels of all types. Baby wash, bath, shampoo. Bath gels, foams, mousses, salts, oils and other products added to bathwater. Foot care products (feet are placed in a bath for soaking). Shaving creams of all types (stick, gels, foams, etc.). All depilatories (including facial) and waxes for mechanical hair removal. Shampoos for pets	NO	Applicable (rinse-off products)
Category 10A	Hand wash laundry detergent (including concentrates). Laundry pre-treatment of all types (e.g. paste, sprays, sticks). Hand dishwashing detergent (including concentrates). Hard surface cleaners of all types (bathroom and kitchen cleansers, furniture polish, etc.). Machine laundry detergents with skin contact (e.g. liquids, powders) including concentrates. Dry cleaning kits. Toilet seat wipes. Fabric softeners of all types including fabric softener sheets. Household cleaning products, other types including fabric cleaners, soft surface cleaners, carpet cleaners, furniture polishes sprays and wipes, leather cleaning wipes, stain removers, fabric enhancing sprays, treatment products for textiles (e.g. starch sprays, fabric treated with fragrances after wash, deodorizers for textiles or fabrics). Floor wax. Fragranced oil for lamp ring, reed diffusers, pot-pourri, liquid refills for air fresheners (non-cartridge systems), etc. Ironing water (Odorized distilled water).	NO	Applicable (rinse-off products)
Category 10B	Animal sprays – sprays applied to animals of all types. Air freshener sprays, manual, including aerosol and pump. Aerosol/spray insecticides	NO	Applicable (rinse-off products)
Category 11A	Feminine hygiene conventional pads, liners, interlabial pads. Diapers (baby and adult). Adult incontinence pant, pad. Toilet paper (dry).	NO	Not applicable (leave-on products without UV exposure)
Category 11B	Tights with moisturizers. Scented socks, gloves. Facial tissues (dry tissues). Napkins. Paper towels. Wheat bags. Facial masks (paper/protective) e.g. surgical masks not used as medical device. Fertilizers, solid (pellet or powder).	NO	Applicable (leave-on products)
Category 12	Candles of all types (including encased). Laundry detergents for machine wash with minimal skin contact (e.g. Liquid tabs, pods). Automated air fresheners and fragrancing of all types (concentrated aerosol with metered doses (range 0.05-0.5mL/spray), plug-ins, closed systems, solid substrate, membrane delivery, electrical, powders, fragrancing sachets, incense, liquid refills (cartridge), air freshening crystals). Air delivery systems. Cat litter. Cell phone cases. Deodorizers/maskers not intended for skin contact (e.g. fabric drying machine deodorizers, carpet powders). Fuels. Insecticides (e.g. mosquito coil, paper, electrical, for clothing) excluding aerosols/sprays. Joss sticks or incense sticks. Dish wash detergent and deodorizers – for machine wash. Olfactive board games. Paints. Plastic articles (excluding toys). Scratch and sniff. Scent pack. Scent delivery system (using dry air technology). Shoe polishes. Rim blocks (Toilet).	NO	Not applicable (non-skin contact products)

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Craftovator Studio regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Craftovator Studio. It is the responsibility of the client to ensure the safety of the final product containing this ingredient. Please carry out additional testing if necessary.
www.craftovator.co.uk